



An ISO 9001: 2008, 14001:2004, OHSAS 18001:2007, BIFMA



About Us

We at INDO keep on innovating and make every end a new beginning, Indo Innovations is a reflection of our innovative approach towards business. INDO Innovations is India's premier brand for integrated solutions for Modular Office Furniture, Seating, Flooring, Lighting, Stadium Seating in India for over 20 years. We are your partner in providing comprehensive solutions to all your Development Renovation & Fit-Out needs to transform your work spaces into **Inspirational Workspaces**, through Our own range of Office Furniture INDO and our wide range of iconic brands from across the globe, offering **Workstations, Chairs, Carpets Lounge and Breakaway Seating, Demountable, Partitions, Laboratory Furniture, Medical Furniture, Telescopic / Retractable seating for Auditoriums and Stadiums**. Some of the world's most admired; designer-led iconic international brands from across the globe belong to our portfolio.

CERTIFICATIONS



ISO 9001




ISO 14001



ISO 18001



BIFMA



CPWD Class-1 (Furniture)

CONTENTS

Hospital Beds	4
HOSPITAL BEDS ACCESSORIES	10
ATTENDANT BEDS	11
EXAMINATION TABLE	14
DELIVERY BEDS	17
GYANE BEDS	20
EXAMINATION TABLE	21
PATIENT TRANSFER TROLLEYS	22
STRETCHER & WHEEL CHAIR	24
WARD / O.T. EQUIPMENTS	25
BLOOD DONOR CHAIR	26
WARD / O.T. EQUIPMENTS	28
O.T. TABLE	31





Model No. IIMF - 101

ELECTRIC ICU BED MULTIFUNCTION

Specification:

- Frame work made of Rectangular M.S Tube
- MS Mattress platform in four sections
- Back Rest, Knee Rest, TB/RTB and Hi-Lo Positions obtained by electric actuator operator by hand remote system.
- ABS molded head and foot bows.
- ABS track away safety side Railing.
- Telescopic IV Rod with Two Locations.
- Bed Mounted on 125 mm dia Castor, two with brakes.
- Nurse control panel
- CPR system
- Overall Size: 210L x 90w x 50-70H cms
- Finish: Epoxy Powder Coated

Optional

- Bed top also available in metal sheet
- Central locking system also available
- Chair position in bed also available

Positions 





Model No. IIMF - 102

**ELECTRIC ICU BED
(ABS PANELS & RAILING)**

Specification:

- Frame work made of Rectangular M.S Tube.
- MS Mattress platform in four sections.
- Back Rest, Knee Rest and Hi-Lo Positions obtained by electric actuator operator by hand remote system.
- ABS molded head and foot bows.
- ABS track away safety side Railing.
- Bed Mounted on 125 mm Dia Castor with two braking wheels.
- Telescopic IV Rod with Two Locations.
- Overall Size: 210 L x 90W x 50 -70Hcrns
- Finish: Epoxy Powder Coated

Optional

- Central locking system also available
- Nurse control panel
- CPR system



Model No. IIMF - 103

ELECTRIC ICU BED (ABS PANELS)

Specification:

- Frame work made of rectangular M.S. tube perforated CRC sheet top in four sections.
- Back rest, knee rest and hi-lo positions obtained by electric actuator operate by hand remote system.
- ABS molded head and foot bows.
- Aluminum collapsible safety side railings.
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor-two with brakes.
- Provided with 100 mm. mattress in 40 density.
- Overall size: 210 (L) x 90 (W) x 60-80 (H) cm.
- Finish: Epoxy powder coated





Model No. IIMF - 104

ICU BED HI-LO HYDRAULIC

Specification:

- Frame work made of Rectangular M.S Tube.
- 4 Section Top made of perforated M.S. Sheet
- BackRest, KneeRest, TB / RTB Positions manoeuvred by Separate screw from Foot End.
- Height Adjustment with hydraulic foot pump.
- ABS moulded head and foot panels.
- Collapsible Aluminium Safety side Railings.
- SS IV Rod with four Locations.
- Bed mounted on 150 mm Dia Castor (2 with brakes).
- Overall size : 2150L x 1050W x 460-750H cms.
- Finish: Epoxy Powder Coated



Model No. IIMF - 105

MECHANICAL ICU BED (ABS PANEL)

Specification

- Frame work made of rectangular M.S. tube 4 section top made of perforated M.S. sheet.
- Backrest, knee rest, TB/RTB and hi-lo positions maneuvered by separate.
- ABS molded Head & foot bows.
- Collapsible safety side railing.
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor two with brakes.
- Overall Size: 2100 (L) x 900 (W) x 600-800 (H) mm
- Finish: Epoxy Powder Coated





Model No. IIMF - 106

MECHANICAL ICU BED

Specification:

- Frame work made of rectangular M.S. tube 4 section top made of perforated M.S. sheet.
- Backrest, knee rest, TB/RTB and hi-lo positions maneuvered by separate screw.
- S.S Head & foot bows.
- Collapsible railing (Aluminium or Iron or Stainless steel).
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor two with brakes.
- Overall Size: 2100 (L) x 900 (W) x 60-800 (H) mm
- Finish: Epoxy powder coated



Model No. IIMF - 107

ELECTRIC FOWLER BED

Specification:

- Frame Work made of rectangular M.S. tubes.
- Overall approx size : 2030mm x 900mm x 600mm.
- Perforated CRCA sheet top in four sections.
- Backrest & Knee rest positions obtained by electric actuator operator by hand remote system.
- Telescopic IV Rod with Four Locations
- Bed mounted on 100mm deluxe castors, two with brakes.
- ABS moulded head and foot bows.
- ABS moulded safety side railings or collapsible railing.
- Pre Treated & Epoxy Powder Coated Finish.





Model No. IIMF - 108

FOWLER BED DELUXE (ABS PANEL)

Specification:

- Hospital Fowler Beds made of high quality materials, components and accessories.
- Hospital Fowler Beds has four section sheet metal top.
- Hospital Fowler Beds with adjustable back section and knee-rest.
- Manually operated crank system for various positions.
- High quality castors.
- Standard dimension: bed frame 2030mm L x 900 mm W x 600 mm H (approx).
- Pre-treated and powder coated.



Model No. IIMF - 109

FOWLER BED (DELUXE)

Specification:

- Fowler Bed made of high quality materials, components and accessories.
- Four section sheet metal top.
- Fowler Bed with adjustable back section and knee-rest.
- Manually operated crank system for various positions.
- Standard: SS panels, sheet metal platform.
- High quality castors.
- Standard dimension: bed frame 2030mm L x 900 mm W x 600 mm H (approx).
- Pre-treated and powder coated Fowler Bed.



Model No. IIMF - 110

FOWLER BED

Specification:

- Fowler Beds made of high quality materials, components and accessories.
- Four section sheet metal top.
- Fowler Beds with adjustable back section and knee-rest.
- Manually operated crank system for various positions.
- Standard: P/C Frame, sheet metal platform.
- High quality castors.
- Standard dimension: bed frame 2030mm L x 900 mm W x 600 mm H (approx).
- Pre-treated and powder coated Fowler Beds.



Model No. IIMF - 111

SEMI-FOWLER BED (DLX)

Specification:

- Size: 206 L x 91 W x 61 H Cms.
- Frame Work of specially designed CRC Rectangular heavy Tubes.
- Two Section Top of Uniformly Perforated CRC Sheets.
- Backrest maneuvered by screw, at Legend. , S.S. Bows are of equal height fitted with Laminated Panel.
- Two Location Saline Hole.
- Pre-treated and Epoxy Powder Coated.

Model No. IIMF - 112

SEMI FOWLER BED (ABS PANEL)

Specification:

- Frame work made of Rectangular M.S. Tube.
- 2 Section Top made of Perforated M.S. Sheet.
- Back rest Position manoeuvred by Separate screw from foot end.
- ABS Moulded Head & Foot Panels.
- Four Location for IV Rod.
- Overall Size : 206 Lx 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- Also Available Electrically Operated



Model No. IIMF - 113

SEMI-FOWLER BED (STD)

Specification:

- Size: 203 L x 90 W x 60 H cm.
- Mainframe of rectangular pipe.
- Two section top of CRCA sheet.
- Backrest section maneuvered by crank mechanism from the foot end.
- Tubular head and foot bows of unequal height mounted on rubber stump.
- Provision for saline location.
- Pre-treated & powder coated



Model, No. IIMF - 114
ANTI-DECUBITUS MATTRESS (LATTICE STYLE)



Features :

- This air mattress is specially made for short-term patients.
- It is simple in structure, easy in operation and is better in prevention and cure of bed sores.

Model No. IIMF - 116
MATTRESS FOR HOSPITAL BEDS

Specification:

10 cms thick, 32 / 40 density foam mattress covered with rexine closed with zip at one end



A -Single mattress for plain beds / Attendent beds



B-Two section mattress for semi-fowler beds



C-Four section mattress for fowler/I.C.U. beds



Model No. IIMF - 115
X-RAY PERMEABLE BACK REST SECTION

Specification:

X-Ray permeable back rest with S.S. X-Ray cassette holder on sliding mechanism.



Model No. IIMF - 117
BALKEN BEAM SET

Specification:

Made of MS/SS vertical longitudinal and transverse tubes with clamps and pulleys.



Model No. IIMF - 118
LIFTING POLE

Specification:

M.S./S.S. tubular pole fitted with hand grip. Easy fitted back side of the head bows.



Model No. IIMF - 119
PATIENT CASE SHEET HOLDER

Specification:

Made from Aluminium/S.S. / ABS sheet.

A) Single with chrome plated/S.S. clip..

B) Double (file type).



Model No. IIMF - 120

PROTECTIVE RAILING

Specification:

- Made of Aluminium tubes.
- Packing :lpair0.022CBM.
- N.W. :6.4 KGS.
- G.W. : 7.0 KGS.
- Finish : Epoxy Powder Coated.

Model No. IIMF - 121

MOSQUITO NET POLES

Specification:

- Four vertical M.S. tubes of 19mm, two longitudinal & two transverse tubes of 15.8mm, knocked down condition, Pre-treated and epoxy powder coated.



Model No. IIMF - 122

ABS PANNEL WITH BUFFER (DELUXE)



Model No. IIMF - 123

ABS TUCK AWAY RAILING IN 2PCS.



Model No. IIMF - 124

I.V. ROD FOR HOSPITAL BED



Model No. IIMF - 125

ABS TUCK AWAY RAILING IN 4 PCS





Model No. IIMF - 126

HOSPITAL BED PLAIN (STD.)

Specification:

- Frame work made of Rectangular square M.S. Tube.
- Top made of Perforated CRCA MS sheet.
- Tubular Head & Foot Bows of Unequal Height.
- Four Location for IV Rod.
- Overall Size : 206 L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.

Model No. IIMF - 127

ATTENDANT BED

Specification:

- Overall Size: 180L X 60W x 46H cms.
- Frame work made of rectangular/ square MS Tube.
- 5 cm Foam Padded Top Covered with rexine.
- Legs fitted with PVC Stumps.
- Finish :Epoxy Powder Coated.



Model No. IIMF - 128

PEDIATRIC BED

Specification:

- Overall Approx. Dimension: 140cmL x 76cmW x 60H cm.
- Frame work made of CRCA rectangular tubes.
- Top made of CRCA perforated Sheet.
- Full length drop side rails on both sides.
- Finish : Epoxy Powder Coated.



Model No. IIMF - 129

**ATTENDANT COUCH CUM CHAIR
(WITH ARM REST)**

Specification:

- Overall size:
 - Chair position : 770x 680x 1125 mm
 - Bed position : 2050 x 680 x 550 mm
- Mild steel tubular frame work mounted
- Easily convertible to chair
- Castors to facilitate couch position
- High quality durable mattress in three sections
- Compact construction to save space
- High quality form mattress



Model No. IIMF - 130

CHOLERA BED

Specification:

- Cholera Bed Frame Work Constructed With Heavy Duty M.S. Steel Tube.
- Deck of Cholera bed Made with PVC backing with provision of hole in the middle of the Deck.
- Carrying Capacity 160kg.
- Fast and Easy Assembly.
- Provided With Sanitary Bucket.
- Provision of iv rod.
- Pre-Treated and Epoxy Powder Coated Finishing.





Model No. IIMF - 131

ELECTRIC EXAMINATION TABLE DELUXE

Specification:

Electrically controlled, multi function, variable height couch has been designed to meet the ever growing needs of the busy practice. This new design has evolved from extensive user group feedback.

Sizes:

Width : 600 mm, Length: 1830 mm, Height 560-1000mm

Features:

- Variable height
- Electric hand-set control
- Adjustable back rest section through ratchet system
- Swivel castors two with brakes, for ease of manoeuvrability and safety
- Comfortable Upholster waterproof foam surface
- Paper roll holder on foot end
- Fibber covered base

Optional Accessories :

- Safety side railing

Model No. IIMF - 132

ELECTRIC EXAMINATION TABLE 3 SECTION

Specification:

- Height adjustment by electromotive drive.
- The electric motor is controlled by 1 foot switch (possible option: Hand switch).
- Head part step less up - (+50°) and downwards (-45°)adjustable by gas spring.
- Length head part: 450 mm.
- Middle part fixed. Length: 1.290 mm.
- Foot part step less adjustable from downwards vertical position (-90°) to upwards position (+28°) by gas spring.
- Length foot part: 450 mm.
- Upholstery base: Laminated wood.

Sizes:

Width: 600 mm, Length 1830 mm,
Height 560-1000 mm



EXAMINATION TABLE

Model No. IIMF - 133

ELECTRIC EXAMINATION TABLE 2 SECTION

Specification :

- Height adjustable from 560-1000mm
- Scissor action provides vertical lift
- Mains powered electric actuator (240 volt electric)
- Hand switch operation
- Head section electrically adjust from 0-70 deg.
- Support the roll of paper mounted foot end
- 125 mm swivel castors with brake
- 190 kg load maximum

Size :

Width: 600 mm, Length 1830 mm,
Height 560 - 1000 mm



Model No. ST - 134

ELECTRIC EXAMINATION TABLE

Specification:

- Height adjustable from 560-1000mm
- Scissor action provides vertical lift
- Mains powered electric actuator (240 volt electrical supply)
- Hand or foot switch operation
- 125mm swivel braking castors
- Maximum load 190kg

Additional accessories:

- Paper roll holder fitted to foot end

Size: Width: 600 mm, Length 1830 mm, Height 560-1000 mm



Model No. IIMF - 135

HYDRAULIC EXAMINATION TABLE DELUXE

Specification:

- Back rest position can be adjusted by a crank
- Hi-low position can be adjusted by a high quality hydraulic jack
- S.S swing away safety side railing.
- 150mm diameter castors, with directional positions locks
- Capability of attaching IV stand
- Finishing treatment: pre-treated powder coating
- Bumpers at four corners
- Paper holder roller mount on head side
- Polyurethane rebound foam mattress with water proof cover

Dimensions :

Overall	1900mm Lx830mm W
Mattress platform	183mm Lx 720mm W
Hi-Low	590mm - 1020mm
Back rest angle	75°
Bed weight	70 kg
Safe working load	180 kg
Castors	200mm Dim





Model No. IIMF - 136

ELECTRIC DYNE EXAMINATION TABLE

Specification:

- Overall Size L 1830mm x W 870mm x Ht. 520- 1010mm
- Two section Upholster cushion top
- Head low/up position manually with the help of ratchet
- Sliding foot end
- Adjustable Height position through hand remote as per convenience
- 'U' notch with drainage tray
- 100mm goods quality castors, two with brakes
- Lithotomy padded cushion rods for leg support
- Epoxy powder coated base

Positions 





Model No. IIMF - 137

DELIVERY BED HYDRAULIC

Specification:

- Overall Size : 1880Lx900Wx600-800H mm.
- Tubular Frame work mounted on 125 mm dia castor two with brakes.
- Three Section top made of MS pipe with fixed Cushioned mattress.
- Trendlenburg / Reverse Trendlenburg Positions, Back section adjustment through manually.
- Height adjustment through Hydraulic Pump.
- Leg end section can slide under the main section.
- Provided with a pair of upholstery lithotomy position.
- SS. telescopic IV Rod
- Detachable SS Tray.

Optional:

- 5 years guarantee replacement of Hydraulic pump

Positions





Model No. IIMF - 138

ELECTRIC DELIVERY BED

Specification:

- Overall Size : 1880L x 900W x 600-800H mm.
- Tubular Frame work mounted on 125 mm dia castor two with brakes.
- Three Section top made of MS pipe with fixed Cushioned mattress.
- Height Adjustment, Back section & Trendlenburg / Reverse Trendlenburg Positions adjustment through electric actuator system.
- Leg end section can slide under the main section.
- Provided with a pair of upholstery lithotomic position.
- SS telescopic IV Rod.
- Detachable SS Tray.

Model No. IIMF - 139

LABOUR TABLE HYDRAULIC PUMP OPERATED

Specification:

- Approx. Dimensions: 72"L x 27"W x 24"-32"H.
- Tubular frame work mounted on swiveling castors.
- Stainless steel top in three sections.
- Trendlenburg positions adjustable by pneumatic gas spring system.
- Hydraulically height adjustable by foot paddle from side.
- Backrest section adjustable on ratchet.
- Leg end section can slide under the main section
- A pair of knee crutches with height adjustable.
- Finish : Pre treated & Epoxy powder coated.



Model No. IIMF - 140

OBSTETRIC LABOUR TABLE TELESCOPIC (FIXED HEIGHT)

Specification:

- Overall Approx. max. Size : 72" x 27" x 30".
- Frame work made of MS Tube.
- Legs fitted with PVC Stumps.
- 3 Section Top made of S.S. Sheet.
- Back rest section adjustable on ratchet.
- Leg end section can slide under the main section.
- The entire table top gives trendlenberg positions by gas entire system.
- Removable safety side railing are provided on 3 sides of the table.
- Height adjustable a pair of foam padded kneecrutches.
- Patient bearing down hand grips made of S.S. Tubes.
- Supplied with waste collecting S.S. Bowl on S.S. bracket and one S.S. I.V. Red.
- Finish : Pre treated and Epoxy Powder Coated.
- Also available in S.S. Frame work and S.S. Top.



Model No. IIMF - 141

OBSTETRIC DELIVERY TABLE (3 SECTION)

Specification:

- Approx. Dimensions: 72"Lx 24"W x 30"H.
- Rectangular & square tube frame work mounted on PVC stumps.
- Three sections cushioned top.
- Backrest, seat, leg section adjustable by hand lever.
- Complete with SS bowls.
- Height adjustable a pair of knee crutches.
- Pre treated & Epoxy Powder Coated.



Model No. IIMF - 142

DELIVERY BED (TELESCOPIC)

Specification:

- Bed Labour and Delivery. Made in 2 sections, body section with legs mounted on rubber tips, leg section on swivel castors with brakes.
- Size : 72"L x 27"W x 30" H

Model No. IIMF - 143

**OBSTETRIC DELIVERY BED IN 2 PARTS
(2 SECTION TOP)**

Specification:

- Approx. Dimensions : 72"Lx 27"W x 30" H.
- Tubular framework made in two section.
- Body section with legs mounted on PVC stumps.
- Leg section on swivel castors with brakes.
- Two section cushioned top.
- Height adjustable a pair of knee crutches.
- Pre treated & Epoxy powder coated.





Model No. IIMF - 144

GYNAECOLOGICAL EXAMINATION TABLE 3 SECTION

Specification:

- Table, Gynecological, 3 sections, adjustable backrest and leg section with mechanism to varying positions, capable of tilting for obstetric and gynecological use.
- Size : 72"Lx24"Wx30" H

Model No. IIMF - 145

GYNAE EXAMINATION TABLE INTO

Specification:

- Overall Approx. Size : 1830 mm Lx600 mm W x 760 mm H.
- Frame work made of MS CRC tubes.
- Two section cushioned top.
- Complete with the pair of S.S. lithotomy rod made of 12 mm S.S. Rod.
- Back rest adjustable by hand lever.
- Epoxy powder coated finish.



Model No. IIMF - 146

EXAMINATION TABLE 2 SECTION

Specification:

- 183Lx60Wx81 Hcms.
- Frame work of CRC tubes.
- Legs fitted with PVC stumps.
- 5 cms foam cushioned top covered with rexine.
- Pre-treated and Epoxy Powder Coated.



Model No. IIMF - 147

EXAMINATION COUCH WITH CABINETS AND DRAWERS

Specification:

- Upholstered top upper section with three drawers
Adjustable upholstered back rest.
- Lower Section with lockable slide door cabinet
Swinging tray for B.P. Appartus.
- Chemically pre treated and Epoxy powder coated /
oven baked enameled backrest.
- Size 1890x510x820 (LxWx H mm).
- Platform size -450x 510 (LxW rnm).



Model No. IIMF - 148

EXAMINATION COUCH

Specification:

- Overall Approx. Size : 180L x 50W x 80H cms.
- Framework of CRC tubes.
- 5 cms foam cushioned top covered with rexine.
- 1Pc. cabinet with drawer.
- Legs fitted with PVC stumps.
- Finish : Pre-treated and epoxy powder coated.

Optional

- Single foot step in powder coted / S.S.

Model No. ST - 149

EXMINATION COUCH WITH GYANE CUT

Specification:

- Overall Approx. Size : 183 L x 50 W x 82 H cms.
- Top frame work of CRC tubes covered with 5 cms
foam cushioned and rexine.
- 3Pc. cabinet with 1 drawer.
- Legs fitted with PVC stumps.
- Finish : Pre-treated and epoxy powder coated.

Optional

- Single Foot Step in Powder coated.
- Utility trolley in powder coated with S.S. tray.



UTILITY TROLLEY



Model No. IIMF - 150

EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)

Specification:

- Approx. size: 210L x 65W x 65-95H cms.
- Safety side railing , I.V. Rod, storage tray & Cylinder cage.
- Removable X-Ray translucent top with tray for holding X-ray Cassettes.
- Adjustable Height by hydraulic pump through foot pedal.
- Trendlenburg / Rev. Trendlenburg by gas spring. 15 cms dia castors.
- Corner buffers.
- Pre-treated & Epoxy Powder Coated.



Model No. IIMF - 151

PATIENT SHOWER TROLLEY HYDRAULIC

Specification:

- Hydraulically height adjustable allowing a smooth transition for patients and less strenuous activity for carers.
- Able to achieve both Trendelenburg and anti-Trendelenburg positions at the with help of pneumatic pumps.
- Comes with an tilting position from one side with the help of pneumatic pump.
- Safety rails with an easy mechanism for lowering and raising.
- Flexible drain hose to allow water to run straight into drainage system.
- Vinyl mattress and pillow in grey
- Braked castors.
- Dimensions available: Length 2100 mm, Width 800mm, Height 600mm to 800mm.
- Safe working limit: 200kg.
- Pre-treated & epoxy coated

PATIENT TRANSFER TROLLEYS

Model No. IIMF - 152

AMBULANCE STRETCHER

Specification:



- Light weight , strong structure, lovely design, good arts and crafts, easy antisespsis, small size convenient to use.
- Utilizes high precision mechanical transmission.
- Can be used automatically folded through the left and right hand control handle.
- Made of high quality aluminium alloy tubes.
- Dimensions:-
A) High position : 1,900 x 560 x 900 mm
B) Low position : 1,900 x 560 x 280 mm
- Product weight : 40 kg
- Diameter of the Castors: 125 mm
- Applicable for various kind of hospital, emergency centers, ambulances and battle fields.

Model No. IIMF - 153

PATIENT STRETCHER TROLLEY

Specification:



- Approx. size : 195L x 65W x 68-90H cms.
- Frame Work made of MS Tubes.
- Safety side railing I.V. Rod.
- Backrest Adjustable.
- 15 cms dia castors.
- Pre-treated & Epoxy Powder Coated.
- Also available in complete S.S.

Model No. IIMF - 154

STRETCHER TROLLEY

Specification:



- Overall Approx. Size : 213L x 56W x 81H cms.
- Frame work made of 1.25" 16 G vertical and 1" x 18 G horizontal CRC tube.
- Trolley mounted on 15 cm dia castors 2 with brake.
- Removable stretcher top merle of MS sheet.
- Pushing handle at both end of the stretcher top.
- Finish : Pre treated and Epoxy Powder Coated.
- Also available in complete S.S.



Model No. IIMF - 155

FOLDING STRETCHER 2 FOLD

Specification:

- Unfolded Size: 221L x 53W x 15H cms.
- Folded Size : 110L x 18W x 11H cms.
- Net Wt : 5 kg.
- Gross Wt : 6 kg.
- Load Bearing Capacity : 159 kg.
- Also Available in Aluminum

Model No. IIMF - 156

MODEL SCOOP STRETCHER (TELESCOPIC/IMMOBILE)

Specification:

A portable first aid stretcher, is commonly used for transporting bone fractured and seriously Injured patients. A clutch zip design at the middle of the model , the stretcher can be divided into left and right parts. Both parts can be drawn out when you need to put the patient on the operating table or the hospital bed quickly without moving the patient . The stretcher length can be directly transferred into the ambulance. The stretcher can fold or be separated into two parts, easy to carry or transport.

- Product size (LxWxH) 168 x 43 x 7cm (min) 224 x 45 x 10cm (max)
- Net Weight 9 kg
- Gross Weight 11 kg
- The bearing pressure < 159 kg
- Dimension of the packing 127x45x10cm



Model No. IIMF - 157

SPINE BOARD

Specification:

Spine Board is mainly used for immobilizing and safely transferring serious patients during rescuing. It's a first-aid transport equipments for medical department. It also could be equipped on ambulances. Besides, it can go into X-ray directly and float on water. This model is made high strength engineering plastic. It can be enduring used, and has the advantage of anti aging, weight loading and easy stocking specialties.



Size : 183Lx45Wx5Hcms
Load Bearing :159 kg

Net Weight : 6.5 kg
GrossWeight : LS kg



Model No. IIMF - 158

WHEEL CHAIR FOLDING

Specification:

- 16" Seat with Fixed Armrest Front with 4" Solid Castors & Rear 26" Solid Wheels with brakes.
- Size 39.5"L x 28"W x 34.5"



Model No. IIMF - 159

WHEEL CHAIR NON FOLDING

Specification:

- 17" cushioned seat & back fixed armrests front with 5" solid castors & rear 26" solid wheels with brakes.
- Size- 41" x 28" x 33" (Lx W x H).



Model No. IIMF - 160

MONITOR TROLLEY

Specification:

- Overall Approx. Size : 800mm L x 600mm W x 1400 mm H.
- Four shelves and one drawers.
- Trolley having two handles.
- The trolley mounted on 125 mm dia castors -2 with brakes.
- Switch and Socket for medical equipment.
- Supplied with S.S. IV Rod and MS Oxygen Gas Cylinder Case.
- Finish : Pre-treated and Epoxy Powder Coated.

Model No. IIMF - 161

CRASH CART

Specification:

- Overall Approx. Size : 960 L x 500 W x 1545 H mm. Frame work made of S.S. Tubes. Two light weight polystyrene boxes each with three drawers. Upper drawer with medicine contrainer of different sizes. Provision to hold oxygen cylinder made of M.S. Massage board for cardiac patient are provided. Six Number colour hand out small bins at eye level. Total three S.S. Shelves with railing to carry Medical Equipments. Provided with S.S. I.V. Rod, corner Buffers. The cart mounted on 125 mm dia casters 2 with brake. Also available in M.S. Frame work and laminated shelves.



Model No. IIMF - 162

OT DRUG TROLLEY

Specification:

- Approx. Overall Size : 67 cm L X 46 cm W X 153 cm H.
- Complete in S.S. Structure with 24 nos. small hand bins & 12 nos. big hand bins.
- One tray on top.
- 5" dia. Castors two with break.

Optional

- Also available in powder coated structure.



Model No. IIMF - 163

ELECTRIC BLOOD DONOR COUCH

Specification:

- Motorized Donor Chairs suitable to use for blood banks, infusion treatment centres, and hospital, clinics, and aphaeresis, plasma centers and other similar discipline.
- Remote switch for easy repositioning
- Hard wood frame construction
- It has solid surface seat to ensure easy & hygienic premium rated foam, cushion and spring component for donor comfort.
- With the help of electric power, we can fully adjust the donor position in between head low-feet high to head high-feet lower position and arm rest (left and right) swing out for easy seating as well as up & down of chair such position minimization of donor.
- High quality contract grade vinyl upholstery
- All exposed metal parts are chrome plate for easy cleaning & durability.

Technical Details

Seat Height	64 cm
Head Height Max	114 cm
Foot Height Max	89 cm
Chair Length	152 cm
Chair Width (W/Armrest Sections)	92 cm
Load Bearing Capacity	150Kg
Net Weight	52 kg
Gross Weight	92 kg
Packing Dimensions	168 x 76 x 92 cm



Model No. IIMF - 164

BLOOD DONOR CHAIR, 3 SECTION

Specification:

- Overall Size : 150L x 50W x 46H cms
- Framework made of Stainless Steel
- Back rest & leg rest section adjustable on Ratchet/ Lever
- Legs fitted with PVC Stumps
- 5 cms foam cushioned top covered with rexine
- Head section & leg section move simultaneously.
- Adjustable Arm Rest

Model No. IIMF - 165

BLOOD DONOR CHAIR

Specification:

- Blood sampling chair with fixed height, Height= 670 mm
- Comfortable upholstery with good density, width 550
- Steel quality, epoxy paint
- Adjusting back rest via 1 gas jack
- Adjusting leg rest via a self locking mechanism system
- Equipped with 2 blood test splints, every position adjustable by serrated blocks system
- Load capacity: Dynamic 130kg



Model No. IIMF - 166

BLOOD TRANSFUSION CHAIR

Specification:

- Blood sampling chair with fixed height, Height= 460mm
- Comfortable upholstery with good density, width 420
- Steel quality, epoxy paint
- Adjusting back rest via 1 gas jack
- Equipped with 1 blood test splint, every position adjustable by serrated blocks system
- Load capacity: Dynamic 130kg

Model No. IIMF - 167

BLOOD COLLECTION CHAIR

Specification:

- The frame is made of flat oval steel tubing
- The padded seat, back and armrests provide the patient with comfortable seating.
- The seat height is 500 mm.
- The distance between the wedge-shaped padded armrests 500 mm
- Maximum weight load 150 kg





Model No. IIMF - 168

BED SIDE LOCKERS (DELUXE)

Specification:

- Hospital bedside lockers made of high quality sheet metal.
- Die press Stainless steel top.
- Hospital bedside lockers Provided with two storage cabinet and single draw under the top and space for keeping utilities.
- Hospital bedside lockers optionally available without draw under the top
- Standard dimension : 500mm L x 450mm W x 820 mm H

Model No. IIMF - 169

BED SIDE LOCKER (SUPER DELUXE)

Specification :

- Size : 16" L x 16" W x 32" H
- Machine Pressed CRCA Sheet enclosed on three sides.
- Having one box and one drawer fitted with membrane /laminated pressed top and front side
- Fitted with 50 mm dia castors.
- Epoxy powder coated.



Model No. IIMF - 170

BED SIDE LOCKER (DELUXE)

Specification :

- CRCA sheet constructions.
- Having one box and one drawer
- S.S. Top with three sides raise edges.
- Epoxy Powder Coated.
- Size : 16" L x 16" W x 32" H

Model No. IIMF - 171

BED SIDE LOCKER (STD)

Specification:

- Four MS legs fitted with PVC Stumps.
- Box and door made of MS sheet.
- Top made by machine pressed SS Sheet.
- Finish : Epoxy Powder coated.
- 16" L x 16" W x 32" H





Model No. IIMF-172

REVOLVING STOOL (SS TOP)

Specification:

- Four leg base with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of MS Tube.
- SS top supported with MS sheet top.
- Finish : Pre-treated and epoxy Powder Coated.
- Also Available in S.S. Frame work and S.S. Top.

Model No. IIMF - 173

LAB TECHNICIAN STOOL

Specification:

- Height adjustable cushioned Seat.
- 5 legs base on castors.
- Also Available with backrest.



Model No. IIMF - 174

REVOLVING STOOL (CUSHIONED TOP)

Specification:

- Four Leg base fitted with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of MS Tube.
- Cushioned top support with MS Circle.
- Finished : Pre-treated and Epoxy Powder Coated.
- Also available in S.S. Frame work Cushioned top.

Model No. IIMF - 175

OVER BED TABLE PNEUMATIC

Specification:

- Powder coating
- Wooden printing melamine laminate table top (non-tilt).
- 40mmx80mm outer support steel tube.
- 40mm square steel tubing legs.
- 80cmLx38cmW table top.
- Fingertip pressure height adj.: 76cm - 106cm.
- Plastic caster x4 pcs.



Model No. IIMF - 176

OVER BED TABLE WITH ABS TOP

Specification:

- Sturdy yet light weight
- Easy to clean surfaces
- This over bed table provides beauty without having to worry about laminate wood damaging overtime with moisture.
- ABS plastic top.
- Easy roll swivel caster facilitate transport

Model No. IIMF - 177

OVER BED TABLE GEAR OPERATED

Specification:

- Powder coating
- Wooden printing melamine laminate table top (non-tilt).
- 40mmx80mm outer support steel tube
- 40mm square steel tubing legs
- 80cmLx38cmW table top
- Gear handle pressure height adj.: 76cm-106cm
- Plastic caster x 4 pcs

O.T. TABI



Model No. IIMF - 178

OVER BED TABLE MANUAL

Specification:

- Rectangular Frame Work Mounted On 5cms Castors
- 30"x16" Laminated Top Adjustable By Side Knob
- Pre-treated and epoxy powder coated.

Model No. IIMF - 203

OPERATING TABLES C-ARM COMPATIBLE (HYDRAULIC)




Specification:

- Four Sections Radiolucent top.
- C-Arm compatible inbuilt kidney bridge.
- Eccentrically positioned top for maximum access for movement of C-Arm image intensifier.
- Heavy & sturdy T shaped base allowing maximum foot room for operating team.
- Mobile on smooth running castors & Floor locking system for stability
- Heavy & Hygienic stainless steel Covered base and lifting column
- All the fittings, side rails and accessories made of stainless steel
- Accessories clamps made of Stainless Steel

Standard Positioning

- Hydraulic UP/ DOWN
- Precise and efficient crank mechanism to obtain trendelenberg / reverse trendelenberg
- Lateral tilt both sides
- Flex & Reflex, & Chair
- Detachable, adjustable and interchangeable head & leg sections
- Also Available with Kidney Bridge Position with Radiolucenttop.





C-Arm compatible operating table for Orthopaedic with Leg Traction unit attached to the base



Inner thigh support for lateral position



Arm Support Carter Braine with pad (Adjustable) for lateral positioning (Optional)



Knee Rest for tibia and fibula position / arthroscopic position



Lateral Cassette Holder (Optional)



Pelvic rest (adjustable) at extreme right



Steinmann Pin Clamp



Pelvic rest (adjustable) positioned at extremity left



X-ray translucent, C-Arm Compatible. Hand operating table with mattress and telescopic support.

C-arm Compatible Operating Table (Hydraulic)



Standard Accessories

- Five section mattress - 1 set
- Anesthetist Screen - 1 Pcs.
- Padded Shoulder support - 2 Pcs.
- Padded Lateral Support-2 Pcs.
- Padded Lithotomy Crutches-2 Pcs.
- Padded Arm Rest - 2 Pcs.
- Drive Handle - 1 Pcs.

Specification / Model No.	ST-203 (Approx. Dimensions)
Overall Length of the table	1950 mm
Overall width of the table	500 mm
Minimum height of the table	780 mm
Maximum height of the table	1030 mm
Trendlenburg / Reverse	30 Degree
Flex / Reflex	80°/220°
Side Tilt	22°
Kidney Position	125 mm manually
Leg Section	90° down
Chair Position	85°

Model No. IIMF - 204

ELECTRIC OPERATION TABLE C. ARM COMPILABLE



Trendelenberg/Reverse Trend

Height Up/Down

Chair Position

Lateral Tilt

Flex/Reflex

Specification:

With Orthopaedic Attachment Electrically driven, finger touch controlled operation tables are specially designed to provide complete flexibility for patient positioning required for modern surgeries.

SALIENT FEATURES

- Mains operated electrical system
- In-built rechargeable battery (optional)
- Eccentrically Positioned table top for maximum access for movement of C Arm image intensifier.
- X-ray Translucent four/five sectional top.
- Standard positioning
- Noiseless and smooth operation.
- Mobile base with floor locking facility.
- Sturdy T-type based for easy operations.
- Base and column covered with stainless steel prevent dirt and fluids from getting into hasp and easy to be cleaned.
- Frame and side rails are made of S.S.
- Completely RUST proof design.
- Adaptahlp to ortho attachment, Neuro Surgery attachment and other special accessories.

Model:

Four / five Sectional X-ray translucent top. Finger touch hand set controlled position:-

- (i) Height Up/Down
- (ii) Trendelenburg / Reverse Trendelenburg.
- (iii) Lateral tilt both sides.
- (iv) Flex/Reflex
- (v) 0°degree chair.
- (vi) Available with Kidney Bridge Position adjustable mechanically. Detachable, adjustable and interchangeable head & leg sections manually.

Standard Accessories

- Five section mattress - 1 set
- Anesthetist Screen - 1 Pcs.
- Padded Shoulder support 2 Pcs.
- Padded Lateral Support-2 Pcs.
- Padded Lithotomy Crutches-2 Pcs.
- Padded Arm Rest 2 Pcs.
- Drive Handle for kidney bridge only- 1 Pcs.

Optional Accessories

- Orthopaedic Attachment
- Orthopaedic Leg Traction Device.
- L-Shaped Knee rest padded.
- Steinmen Pin Holder.
- Inner thigh support padded.
- Raised arm rest padded.
- Lateral Cassette holder.
- Hand Surgery Attachment
- Neuro Surgery Attachment
- Horse Shoe shaped
- Mayfield Three Pin Head Fixator
- Manually operated Kidney Bridge.
- Hand Surgery Table (X-ray translucent) with telescopic support
- Electric Floor Locking System

Optional Orthopaedics Accessories



Hand Traction device
(Complete with X-ray translucent finger plate)



Spinal Frame



Counter Traction post for
Tibia and Fibula

Optional Urology / General Surgery Accessories



Lithotomy position with
perineal 'U' cut
and knee krutches.



inbuilt X-ray translucent
C-Arm Compatible
Kidney bridge

Optional Neuro-Surgery Accessories



Mayfield three Pin Head Fixator for
Neuro Surgery in SUPine Position
(wholly made of S.S.)



Horse shoe shaped Neuro Surgery Head
Rest full adjustable for prone & supine position
(wholly made of stainless steel)



Mayfield three Pin Hpad Fixator
for Neuro Surgery in Sitting Position



Optional Accessories

Urology/GE Rnral Surgery

- Inbuilt kidney bridge X-ray translucent & C-arm Compatible. PCNL attachment (Extra long leg section X-ray translucent with telescopic support.) TUR Drainage Tray.



TABLES



WORK STATIONS



CHAIRS



LOUNGE



STORAGES



COMPACTORS



SCHOOL FURNITURES



STADIUM CHAIRS



LAB FURNITURES



MEDICAL FURNITURES



Delhi | Bangalore | Chennai | Kolkata | Mumbai | Lucknow

Head Office :
B-122, Sector-67, NOIDA-201301, U.P. (INDIA)
Cell: +91-9818797744 Fax: 91-66173030
E-mail : info@indoinnovations.com
Website : www.indoinnovations.com